WELLS BLOOMFIELD, LLC
2 ERIK CIRCLE, P. O. Box 280 Verdi, NV 89439
telephone: 775-689-5703
fax: 775-689-5976
www.wellsbloomfield.com

PARTS LIST

PL503

WVF-886 VENTLESS FRYER
WITH OR WITHOUT ROLL WARMER

CONTENTS

Description	page
Parts List	2
WVF-886 Hood Section	
Cabinet	4
Hood Electrical and Vacuum	5
WVF-886 Fryer Section	
Fry Head	6
Cabinet & Electrical	7
Basket Lift	8
WVF-886RW Roll Warmer Section	9
Ansul© Fire Detection & Suppression	10

PRINTED IN UNITED STATES OF AMERICA

PART #	DESCRIPTION
	OPTIONAL ACCESSORIES
20161	FRY BASKET 1/2 SIZE
20162	FRY BASKET FULL SIZE
20169	FRYPOT, F-SERIES FRYER
20537	THERMOMETER, STS TEST
20624	HUMITROL RACK, ROLL WARMER
20804	SET, CASTER, (2 FIXED, 2 SWIVEL)
21488	INSERT PAN, ROLL WARMER
22618	PREFILTER
22619	FILTER PACK
22649	LEG, OPTIONAL REAR (pk 2)
22682	POWER CORD NEMA 15-60P 4'
22683	CAGE, PRE-FILTER
22684	GREASE BAFFLE (TYPE 3)
	LITERATURE & DOCUMENTATION
300959	WIR DIAG 2-DRAWER RW
302731	PLUMBING LAYOUT VAC
302802	WIR DIAG UNIVERSAL HOOD
302748	PLUMBING LAYOUT ANSUL©
303334	OPM DRAWER WARMER
303368	VIDEO OPERATE VCS2000
307591	OPMANUAL AUTOLIFT FRYER
304989	OPMANUAL WVF-886/RW
307501	WIR DIAG F88-6 208/240V
SV503	SERVICE MANUAL WVF-886

PART #	DESCRIPTION
	MECHANICAL
50157	CLIP CAPILLARY BULB CLAMP
50183	HINGE BRACKET END
50205	PIN PIVOT
50207	CRANK CASTING SHORT
50211	HANDLE LIFT, GRAY
50215	ARM ROCKER
50222	RETAINER RING (pk 10)
50231	BASKET LIFT ROD SEAL-TEFLON
50372	KNOB, WARMER
50464	BOX CONTROL ASSY F5585
50471	DRAWER CATCH COMPLETE
50483	BEARING ROLL WARMER (pk 6)
50543	ARM CROSS ASSY
50850	MOTOR LIFT ASSY
50876	PIN LEVER MOTOR ASSY
50878	ARM CRANK LEVER ASSY
51145	RETAINER, OIL SEAL (pk 6)
51146	BASKET LIFT ROD
51147	RETAINER, BASKET HOOK
51179	TRIM RING ASSY-ROUND
51259	MOUNT BRACKET LIFT MOTOR
51808	BOX OUTLET RW
52073	SKIRT, KNOB PARAGON TIMER
52112	HANDLE RW DRAWER
52427	ROD, SUPPORT SHORT HEAD
52428	SPRING, HEAD SUPPORT ROD
52667	RED BUTTON FOR 52681
52681	TIMER KNOB ASSY FOR 50227
52806	COVER PIVOT BRKT
53245	COVER DOUBLE PIVOT BRKT
53358	ADAPTER, HANDLE
53565	PANEL CONTROL LOWER RWS
53895	CENTER PIVOT BRKT
54452	CAP, PUSH ON TYPE BASKET RODS
55677	BRKT ELEM MTG RW
55678	DRAWER ASSY RW
55683	BRKT THERMO BULB RW
55726	SLIDE VENT ASSY RWS
55747	GASKET FRYER HEAD 3/8x3 (pk 12)
55988	STOP DRWR RWS
56050	INSUL FG SR26 1" (pk 300 sq ft)
57882	KNOB ASSY THERMO AUTOFRY

PART #	DESCRIPTION
	MECHANICAL
60223	CAVITY ASSY RWS
62504	CLAMP BULB SAFETY (pk 4)
62896	CONNECTOR WIRE 12-14 GA (pk 5)
63263	KNOB LEG RW/WB W/8-32 SCREW
63271	CLIP RETAINER PILOT LIGHT (pk10)
66502	MAGNET, DOOR
501389	REMOTE PULL STA ASSY
502642	DOOR ASSY LEFT, NON-RW
502646	DOOR ASSY RIGHT, NON-RW
502583	FUSIBLE LINK 165ºF
502588	TUBING ASSY VACUUM UNIV HOOD
502772	GASKET SILICONE .25X.5X15.25
502773	GASKET SILICONE .25X.5X18.5
502782	FACEPLATE FRNT PNL UNIV HOOD
502866	BUTTON ASSY BLACK TIMER
502977	PANEL CONTROL VCS FRYER
504405	TRAY GREASE DRIP HOOD
505099	GLASS GLOBE VCS HOOD
505656	BASKET HOOK ASSY

PART #	DESCRIPTION
	ELECTRICAL
50131	TERMINAL BLOCK 3P 85A
50198	MICROSWITCH, TIMER
50227	TIMER AUTOFRY 240V 50/60 Hz
50233	LIFT MOTOR, FRYER
50482	ELEM, ROLL WARMER 240V 450W
50516	LIGHT, INDICATOR AMBER 240V
51157	LIGHT, INDICATOR RED 240V
53068	TERMINAL BLOCK 2P (FIRE ALARM)
54005	JUMPER, FLAME SENSOR
54769	FUSEHOLDER HPA-EE 10A 240V
54871	FUSE SC-10 34768 (pk 4)
55127	SWITCH ROCKER AMBER LIGHT
55510	THERMO, CONTROL
55687	LIGHT SIGNAL RED RWS
55697	LIGHT, INDICATOR GREEN 240V
57779	CONTACTOR 3POLE 208V 40A
57780	CONTACTOR 3POLE 240V 40A
58656	HI-LIMIT MANUAL RESET 440F
58936	THERMO CTRL RW W/O AUX
62842	ELEM 208V 5750W FRYER
62866	ELEM 240V 5750W FRYER
62926	ASSY, HEAD COMPLETE 208V
62927	ASSY, HEAD COMPLETE 240V
63880	RELAY, 208/240V
64514	RELAY, BLDG FIRE ALARM
64834	BUZZER 240V
67273	SWITCH ELECTRIC (FIRE ALARM)
500407	SWITCH FILTER INTERLOCK
502584	ASSY, BLOWER FAN & MOTOR
502590	VACUUM SWITCH #1
502591	VACUUM SWITCH #2
502592	VACUUM SWITCH #3
502593	VACUUM SWITCH #4
502789	CONTACTOR 208/240V 3ø 50A
505098	HOUSING, LIGHT SOCKET
505100	LIGHT BULB APPLIANCE 240V 100W
8528-40	SWITCH, POWER (NO LIGHT)

PART #	DESCRIPTION
	HARDWARE
51053	NUT, 8-32 KEPS SS (pk 100)
50157	CLIP CAPILLARY BULB CLAMP
50172	ELEM FRYER NUT
50176	LOCKWASHER 7/8 FYR ELEM (pk 10)
50177	WASHER FIBER
50222	RETAINER RING (pk 10)
51038	RETAINER TRADEMARK (pk 10)
51040	GROMMET INSULATION 7/8D HEYCO
51053	NUT, 8-32 KEPS (pk 100)
51145	RETAINER, OIL SEAL (pk 6)
51674	SPACER 1/2 LONG
51717	SCREW, 8-32x7/8 (pk 40)
51718	SCREW, 6-32x3/16 (pk 10)
52428	SPRING, HEAD SUPPORT ROD
53890	SCREW, 12-24x3/4 (pk 10)
53935	SCREW 6X1/4 SHEET METAL (pk 100)
53977	SCREW, 8-32x3/8PHBD (pk 100)
54136	FTG FLEX COND 90DEGx1/2IN
54222	WASHER FLAT #10
54284	RIVET, POP 3/32Dx1/8
54285	SCREW, 8-32x3/8 (pk 50)
55135	SCREW, 6-32x1/4 RD (pk 25)
55485	NUTS, 1/4-20 (pk 100)
55487	SCREW, 8-32x11/16 (pk 50)
55530	SCREW, 8-32x3/8)pk 100)
55565	WASHER 2-1/4 DRWR BACK RWS
55566	SCREW, 6x1/4 SS (pk 100)
55736	NUT, 8-32 KEPS GREEN (pk 10)
57748	FTG CONDUIT STRAIGHT 1/2IN
60612	SCREWS, 1/4-20x1/2
60680	NUTS, 10-32 KEPS SS (pk 10)
61262	RIVET 1/8X1/4SS ROLL WRMR (pk 50)
61974	NUT, 8-32x7/8 LONG AL (pk 10)
62504	CLAMP BULB SAFETY (pk 4)
63271	CLIP RETAINER PILOT LIGHT (pk 10)
65405	SPACER DRWR STOP SS RWS
500102	STRAIN RELIEF
504420	STRAIN RELIEF 1 1/4NPT
18-302	NUT, 8-32 HEX SS
8543-74	NUT, 4-40 HEX SS

PART #	DESCRIPTION
	ANSUL© COMPONENTS
	NOTE: Provided for reference only All servicing of the fire detection and suppression system must be performed by an authorized Ansul technician
53068	TERMINAL BLOCK 2P (no Ansul p/n)
67273	SWITCH ELECTRIC (Ansul p/n 423575)
501389	ASSY, PULL STATION ANSUL© (Ansul p/n 4835)
502583	FUSIBLE LINK 165ºF Model K (no Ansul p/n)
504112	FUSIBLE LINK 212ºF Type B (no Ansul p/n)
	CABLE, WIRE ROPE , 50 FT/15m (Ansul p/n 15821)
	ANSULEX® FIRE EXTINGUISHING MEDIA, 1.5 GAL. (Ansul p/n 79694)
	EXPELLANT GAS CARTRIDGE ASSY LT-20-R (Ansul p/n 67099)
	QUICK-SEAL ADAPTER, 3/8" (Ansul p/n 77284)
	QUICK-SEAL ADAPTER, 1/4" (Ansul p/n 78195)
	MOUNTING BRACKET, RELEASE MECH. R-102 (Ansul p/n 79493)
	CABLE, WIRE ROPE , 500 FT/152m (Ansul p/n 79653)
	DESIGN, INSTALLATION, RECHARGE AND MAINTENANCE MANUAL FOR R-102 RESTAURANT FIRE SUPPRESSION SYSTEM (STD. UL 300 LISTED) (Ansul p/n 418087-05)
	NOZZLE 1W (Ansul p/n 419336)
	NOZZLE 290 (Ansul p/n 419342)
	PULLEY ELBOW, COMPRESSION ENDS (Ansul p/n 423250)
	TANK, 1.5 GAL ANSULEX® (Ansul p/n 429864)

WVF-886 CABINET AND HOOD SECTION COMPONENTS


INTERNAL BRACKETS
FIRE DAMPER ASSY 280ºF (ref. 301187)
LABEL, CONTROL PANEL 502782
GASKET, SILICONE 15-1/4" 502772 (2 pl)
GASKET, SILICONE 18-1/2" 502773 (2 pl)
ASSY, FILTER PACK 22619
PREFILTER 22618
CAGE, PRE-FILTER 22683
BAFFLE, GREASE FILTER (TYPE 3) 22684
HOUSING, LIGHT SOCKET 505098
BULB, APPLIANCE 100W 505100
GLASS GLOBE, LIGHT BULB COVER 505099
GREASE CUP 504405
ASSY, DOOR LEFT 502642
MAGNET, DOOR CATCH 66502 (2 pl)
ASSY, PULL STATION ANSUL 501389
-RW UNITS
SET, CASTERS 20804 (2 swivel, 2 fixed)
CABINET DOORS (NON -RW UNITS)
ASSY, DOOR RIGHT 502646
LEG, ADJUSTABLE VCS 22649 (pk 2) (REAR LEG OPTION)

WVF-866 HOOD SECTION ELECTRICAL AND VACUUM COMPONENTS


FITTING, 1/2" CONDUIT STRAIGHT 57748
ASSY, BLOWER 240V 502584
VACUUM SWITCH #4 502593
VACUUM SWITCH #1 502590
VACUUM SWITCH #3 502592
ASSY, VAC TUBE MANIFOLD 502588
VACUUM SWITCH #2 502591
ref Ansul® 77284
ref Ansul® 77284
SWITCH, POWER 8528-40
LIGHT, INDICATOR GREEN 240V 55697
BUZZER, 240V 64834
SWITCH, FILTER INTERLOCK 500407 (2 pl)
LIGHT, INDICATOR AMBER 240V 50516 (3 pl)
LIGHT, INDICATOR RED 240V 51157
FRONT OF HOOD
ELECTRICAL - UPPER HOOD
TERMINAL BLOCK 2P 250V 53068
JUMPER, FLAME SENSOR 54005
RELAY, 208/240V (-RW, -RWT ONLY) 63880
HOUSING, LIGHT SOCKET 505098
CONTACTOR 208/240V 50A 3-PH 502789
STRAIN RELIEF 1-1/4" 504420
RELAY, BLDG FIRE ALARM 64514
BULB, APPLIANCE 230V 100W 505100
GLASS GLOBE LIGHT BULB COVER 505099
POWER CORD NEMA 15-60P 22682 (incl. strain relief)
ELECTRICAL - UNDER HOOD
ELECTRICAL - REAR OF LOWER CABINET

WVF-886 FRYER HEAD COMPONENTS



WVF-886 FRYER CABINET & ELECTRICAL COMPONENTS



WVF-886 FRYER LIFT COMPONENTS



WVF-886RW ROLL WARMER COMPONENTS



WVF-886 FIRE DETECTION AND SUPPRESSION SYSTEM COMPONENTS

FOR USE ONLY BY AUTHORIZED ANSUL© SERVICE PERSONNEL

Refer to Ansul© part no. 418078-05 R-102 Restaurant Fire Suppression System Design, Installation, Recharge and Maintenance



NOTES

CFESA
Commercial Food Equipment Service Association

Wells Bloomfield proudly supports CFESA
Commercial Food Equipment Service Association

SERVICE TRAINING - QUALITY SERVICE

Genuine Parts
Protect - YOU - All - Ways

CUSTOMER SATISFACTION

WELLS BLOOMFIELD, LLC
2 ERIK CIRCLE, P. O. Box 280 Verdi, NV 89439
telephone: 888-492-2782
fax: 888-492-2783
www.wellsbloomfield.com

PRINTED IN UNITED STATES OF AMERICA